



Informatika va axborot texnologiyalari fanidan

1-kurs 1semestr uchun

Elektron dars taqdimoti

*Mavzu:* Matnli funksiyalarga doir misollar yechish.

**Tuzuvchi:** Toshmurodov Sh.

- 
1. MS Excelning funksiyalar kutubxonasida matnli funksiyalar.
  2. Master funksiya yordamida matnli funksiya joylashtirish.

# Matnli funksiyalar

| Funksiya                                                           | Izoh                                                                                                   | Misol                                                                                                              |
|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| ДЛСТР(matn)                                                        | Matndagi belgilar sonini aniqlaydi                                                                     | ДЛСТР("men")=3,<br>ДЛСТР(3,1415)=6                                                                                 |
| ЗАМЕНИТЬ(eski matn; qaysi o'rindan; nechitasi o'rniga; yangi matn) | Eski matnni belgilarini ko'rsatilgan joydan boshlab berilgan sondagi belgilarni yangisiga almashtiradi | ЗАМЕНИТЬ("Men";3;1;"hr") =<br>"Mehr";<br>ЗАМЕНИТЬ("Men";2;2;"uz")<br>="Muz";<br>ЗАМЕНИТЬ(B4;3;2;"tin")=<br>"Oltin" |

# Matnli funksiyalar

| Funksiya                         | Izoh                                                                        | Misol                                                                              |
|----------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| ЗНАЧЕН<br>(matn)                 | Matn<br>ko'rinishidagi sonni<br>songa o'tkazadi                             | ЗНАЧЕН(")=1024,25;<br>ЗНАЧЕН(")                                                    |
| ЛЕВСИМБ<br>(matn; belgi<br>soni) | Matnning chap<br>tomonidagi berilgan<br>sondagi belgilarni<br>ajratib oladi | ЛЕВСИМБ(- 45765; 1)= "-";<br>ЛЕВСИМБ("Gulnoza"; 3)= "Gul";<br>ЛЕВСИМБ(B8; 3)="Bod" |

# Matnli funksiyalar

| Funksiya                                                   | Izoh                                                                                           | Misol                                                                                           |
|------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| СЦЕПИТЬ<br>(matn1;<br>matn2; ...)                          | Bir nechta<br>matnni bitta matnga<br>o'tkazadi                                                 | СЦЕПИТЬ(14; “-fevral”)= “14-<br>fevral”;<br>СЦЕПИТЬ( “Bob”; “”)= “Bobur”                        |
| ПСТР<br>(matn;<br>boshlang'ich<br>o'rin; belgilar<br>soni) | Matndan<br>boshlang'ich<br>o'rindan boshlab<br>berilgan sondagi<br>belgilarni ajratib<br>oladi | ПСТР(“Matonat”; 4; 3)=”ona”;<br>ПСТР(“Zahiriddin”; 2; 4)=”ahir”;<br>ПСТР(“Sheriyat”; 3; 2)=”er” |



E`TIBORINGIZ UCHUN  
RAXMAT